remodulou lougofaty normic	cion from Circ C
	sion from Fire Services for the year 200
To The Director General	
West Bengal Fire Services	
Sub : Application for permi	ission for Durga, Kali and Jagadhyatri Puja
	out the puja applied for)
No objection Certificate from co	ncerned Police Station
Sir.	
We are organising	puja for the year 200 Accordingly
we are submitting herewith three ess	sential documents (i) No objection Certificate from
Particula	ars are given below :
1. The Name of the Puja Committee	그는 사람들은 바이를 살아보는 것이 없는 것이다. 그렇게 되었다면 얼마를 살아보는 것이다.
	(As per Subscription Collection Book in Block letters
2. Full Address (in Block letters)	(73 per 300scription Collection Book in Block letters
· · · · · · · · · · · · · · · · · · ·	
3. Name & Address of President	
	가는 사람들이 살아보는 그는 사람들이 살아가는 사람들이 되었다면 하지만 하는 사람들이 하는 것이 되었다. 그리고 아니는 사람들이 얼마나 없었다.
4. Name & Address of Secretary	
5. Area of the Pandal	
6. No. of days : from	
	10
7 The height of Pandal .	to
7. The height of Pandal	
7. The height of Pandal	
7. The beight of Pandal	inual in brief
7. The height of Pandal 8. Materials used for construction of Pa	
 7. The height of Pandal	it at a time inside the pandal
7. The beight of Pandal	it at a time inside the pandal
 7. The height of Pandal	it at a time inside the pandal
 7. The height of Pandal	it at a time inside the pandal
7. The height of Pandal	it at a time inside the pandal
7. The height of Pandal	It at a time inside the pandal
7. The height of Pandal	it at a time inside the pandal
7. The height of Pandal	issue the necessary permission. Full Signature of the Secretary CLARATION de by the following rules and regulations for Social on behalf of the Puja Committee.
7. The height of Pandal	Issue the necessary permission. Full Signature of the Secretary CLARATION de by the following rules and regulations for Social on behalf of the Puja Committee. or for the electrification of Puja Pandal.
7. The height of Pandal	ft. Inval in brief It at a time inside the pandal Issue the necessary permission. Full Signature of the Secretary CLARATION de by the following rules and regulations for Social on behalf of the Puja Committee. or for the electrification of Puja Pandal. vered Puja Pandal.
7. The height of Pandal	ft. Inval in brief It at a time inside the pandal Issue the necessary permission. Full Signature of the Secretary CLARATION de by the following rules and regulations for Social on behalf of the Puja Committee. or for the electrification of Puja Pandal. vered Puja Pandal. service Vehicles.
7. The height of Pandal	ft. Inval in brief It at a time inside the pandal
7. The height of Pandal	Full Signature of the Secretary CLARATION de by the following rules and regulations for Social on behalf of the Puja Committee. or for the electrification of Puja Pandal. vered Puja Pandal. service Vehicles. 15 ft. and 18 ft. respectively. in 200 ft. from the Pandal is strictly restricted.
7. The height of Pandal	Full Signature of the Secretary CLARATION de by the following rules and regulations for Social on behalf of the Puja Committee. or for the electrification of Puja Pandal. vered Puja Pandal. ervice Vehicles. 1 15 ft. and 18 ft. respectively. in 200 ft. from the Pandal is strictly restricted. r erection of the Pandal is discreted.
7. The height of Pandal	Full Signature of the Secretary CLARATION de by the following rules and regulations for Social on behalf of the Puja Committee. or for the electrification of Puja Pandal. vered Puja Pandal. ervice Vehicles. 15 ft, and 18 ft. respectively. in 200 ft. from the Pandal is strictly restricted. or erection of the Pandal is discarded. bed in Fire Retardant Solution.
7. The height of Pandal	Issue the necessary permission. Full Signature of the Secretary CLARATION de by the following rules and regulations for Social on behalf of the Puja Committee. or for the electrification of Puja Pandal. vered Puja Pandal. ervice Vehicles. 15 ft. and 18 ft. respectively. in 200 ft. from the Pandal is strictly restricted. or erection of the Pandal is discreted. oed in Fire Retardant Solution. cient water, bucket, ceiling hook, ladder, torch etc.
7. The height of Pandal	Issue the necessary permission. Full Signature of the Secretary CLARATION de by the following rules and regulations for Social on behalf of the Puja Committee. or for the electrification of Puja Pandal. vered Puja Pandal. ervice Vehicles. 15 ft. and 18 ft. respectively. in 200 ft. from the Pandal is strictly restricted. or erection of the Pandal is discreted. oed in Fire Retardant Solution. cient water, bucket, ceiling hook, ladder, torch etc.
7. The height of Pandal	Issue the necessary permission. Full Signature of the Secretary CLARATION de by the following rules and regulations for Social on behalf of the Puja Committee. or for the electrification of Puja Pandal. vered Puja Pandal. vered Puja Pandal. vered Puja Pandal. vered Puja Pandal is strictly restricted. r erection of the Pandal is discreted. or erection of the Pandal is discreted.
7. The height of Pandal	Full Signature of the Secretary CLARATION de by the following rules and regulations for Social on behalf of the Puja Committee. or for the electrification of Puja Pandal. vered Puja Pandal. vered Puja Pandal. vered Puja Pandal. vered Puja Pandal is strictly restricted. r erection of the Pandal is discreded. or for the Pandal is discreded. orded in Fire Retardant Solution. cient water, bucket, ceiling hook, ladder, torch etc. string the small fire.
7. The height of Pandal	Issue the necessary permission. Full Signature of the Secretary CLARATION de by the following rules and regulations for Social on behalf of the Puja Committee. or for the electrification of Puja Pandal. vered Puja Pandal. ervice Vehicles. 1 15 ft. and 18 ft. respectively. in 200 ft. from the Pandal is strictly restricted. or erection of the Pandal is discarded. bed in Fire Retardant Solution. cient water, bucket, ceiling hook, ladder, torch etc.